
Enburg Farm

Webster County, Iowa, 200 AC +/-





| 96.45 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CSR2	СРІ	NCCPI	CAP
1236B	Angus loam, 2 to 6 percent slopes	17.51	18.15	85.0	0	82	2e
138B	Clarion loam, 2 to 6 percent slopes	17.11	17.74	89.0	0	83	2e
325	Le Sueur loam, 1 to 3 percent slopes	11.24	11.65	77.0	0	92	1
485	Spillville loam, 0 to 2 percent slopes, occasionally flooded	11.07	11.48	88.0	0	86	2w
566C	Moingona loam, 5 to 9 percent slopes	8.92	9.25	86.0	0	89	3e
536	Hanlon fine sandy loam, 0 to 2 percent slopes, occasionally flooded	8.58	8.89	84.0	0	89	2s
135	Coland clay loam, 0 to 2 percent slopes, occasionally flooded	6.97	7.23	76.0	0	82	2w
107	Webster clay loam, 0 to 2 percent slopes	6.41	6.65	86.0	0	83	2w
835D2	Omsrud-Storden complex, 10 to 16 percent slopes, moderately eroded	2.69	2.79	53.0	0	65	4e
55	Nicollet clay loam, 1 to 3 percent slopes	1.97	2.04	89.0	0	81	1
485B	Spillville loam, 2 to 5 percent slopes	1.85	1.92	88.0	0	89	2e
6	Okoboji silty clay loam, 0 to 1 percent slopes	0.71	0.74	59.0	0	75	3w
236F	Lester loam, 10 to 22 percent slopes	0.65	0.67	36.0	0	67	6e
715	Fluvaquents, loamy, 0 to 2 percent slopes, frequently flooded	0.34	0.35	5.0	0	1	5w
735	Havelock clay loam, 0 to 2 percent slopes, occasionally flooded	0.17	0.18	75.0	0	78	2w
262G	Lester-Belview complex, 22 to 40 percent slopes	0.14	0.15	9.0	0	17	7e
236D	Lester loam, 10 to 16 percent slopes	0.12	0.12	53.0	0	76	4e
TOTALS		96.45(*)	100%	82.81	1	84.22	2.07

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend Increased Limitations and Hazards Decreased Adaptability and Freedom of Choice Users Land, Capability 1 2 3 4 5 6 7 8 'Wild Life' Forestry Limited Moderate Intense Limited Moderate Intense Very Intense Very Intense

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water